

**MARK SCHEME for the October/November 2010 question paper  
for the guidance of teachers**

**0580 MATHEMATICS**

**0580/23**

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.


CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0580	23

### Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working

Qu.	Answers	Mark	Part Marks
1	-8.3	1	Allow $-8\frac{3}{10}$
2	21 55	1	Allow 9.55 pm
3	1.6305 cao	2	<b>B1</b> 4.33(44...) seen or answer 1.63, 1.630, 1.6304....
4		1, 1	
5	Correct working	2	<b>M1</b> $\frac{15}{4} + \frac{4}{3} = \frac{45}{12} + \frac{16}{12}$ <b>M1</b> $\frac{61}{12} = 5\frac{1}{12}$
6	$4.93\% < \frac{20}{41} < 0.492 < \frac{80}{161}$	2	Allow decimal equivalents in answer space <b>M1</b> decimals 0.48(78..), 0.496(8..), 0.0493
7	1.14	2	<b>M1</b> $3.38 \div 1.04 (= 3.25)$ or <b>M1</b> $4.39 \times 1.04$
8	1200	2	<b>M1</b> figs $8 \div 40 \times$ figs $9 \div 15$ or <b>M1</b> (figs $8 \times$ figs $9$ ) $\div (40 \times 15)$
9	9.6 cao	2	<b>M1</b> $\frac{x}{8} = \frac{12}{10}$ oe
10	216.32 cao	2	<b>M1</b> $200 \times (1 + (4/100))^2$ oe
11	13	2	<b>M1</b> $21 + 15 - 23$ or <b>M1</b> $15 - x + x + 21 - x + 1 = 24$ oe
12	(a) 25 (b) 0.4	1 1	If zero scored <b>SC1</b> for 250 and 4 or 6.25 and 6.35
13	$10a + b$ or $a \times 10^1 + b (\times 10^0)$	2	<b>M1</b> $[a \times 10^7 + b \times 10^6] \div 10^6$

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0580	23

14	$10.8$ or $10\frac{70}{83}$	3	<b>M1</b> figs $10 \div$ time <b>M1</b> $10 \div 0.92r, 0.922$ or $83/90$
15	$y = -2x + 8$ cao oe	3	<b>M1</b> ( $m =$ ) $\frac{8-2}{0-3}$ oe <b>B1</b> $c = 8$ or $y = mx + 8$ or subst. correct point in $y = "m" x + c$
16	$\frac{4h}{g^2}$ or $h\left(\frac{2}{g}\right)^2$	3	<b>M1</b> squaring correctly <b>M1</b> clearing denominator correctly <b>M1</b> dividing by coefficient of $i$ or <b>SC2</b> for correct unsimplified expression
17	$x = -1, y = 5$	3	<b>M1</b> consistent multiplication and either add or subtract <b>A1</b> for one correct after <b>M1</b>
18	315	3	<b>M1</b> $\frac{x}{360} \times 2 \times \pi \times 8$ oe <b>M1</b> $\frac{x}{360} \times 2 \times \pi \times 8 (+ 16) = (16 +) 14\pi$
19	2.88	3	<b>M1</b> $40^3$ oe seen <b>A1</b> 2 880 000 <b>B1ft</b> their $2\ 880\ 000 \div 100^3$ or <b>B1</b> 0.000045 <b>M1</b> $40^3$ <b>A1</b> cao or <b>M1</b> $0.4^3$ <b>M1</b> $45 \times 0.4^3$ <b>A1</b>
20	(a) 63.4  (b) Vertices at (4, 1), (8, 1) and (10, 3)	2  2	<b>M1</b> $\tan(M) = \frac{4}{2}$ oe  <b>B1</b> two vertices correct
21	(a) 2.4 oe  (b) 680	1  3	<b>M1</b> an area found <b>M1</b> $40 \times 20 - \frac{1}{2} \times 20 \times 12$ oe
22	$y \geq 1, x \leq 3, y \leq x + 5$ oe	5	<b>B1</b> $y R 1$ <b>B1</b> $x R 3$ <b>B2</b> $y R x + 5$ or <b>B1</b> $y R -x + 5$ where R is any inequality <b>B1</b> all 3 inequalities correct
23	(a) (Angles in) same segment  (b) (i) 100 (ii) 43 (iii) 3	1  1 1 2	Allow (angles on) the same arc  <b>B1</b> $OBC$ or $OCB = \frac{1}{2}(180 - 86) (= 47)$

<b>Page 4</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2010</b>	<b>0580</b>	<b>23</b>

<b>24</b>	(a) $\frac{x-2y}{xy}$	2	<b>B1</b> correct numerator <b>B1</b> correct denominator
	(b) $\frac{x}{3}$ www	3	<b>M1</b> $x(x+1)$ <b>M1</b> $3(x+1)$
<b>25</b>	(a) $-3$	2	<b>B1</b> $g(\frac{1}{2}) = 2$ or $fg(x) = \frac{2}{x} - 7$ oe
	(b) $\frac{1}{2x-7}$	1	
	(c) $\frac{x+7}{2}$	2	<b>M1</b> for $y+7 = 2x$ or $x = 2y-7$